

1800 255 349 | [techadvice@allfasteners.com.au](mailto:techadvice@allfasteners.com.au)

## SAH-G Concrete Screw-Anchor Hex Flange Galvanised

SAH-G concrete screw-anchor are a totally removable, thread forming anchor, ideal for either temporary or permanent anchoring into materials such as concrete, brick, hollow brick or block.

The concrete screw-anchor is particularly well suited to close-to-edge or close-to-anchor fixing as it does not expand and burst the surrounding substrate. Features a serrated hex flange head for high clamping force and vibration resistance.

Also available in a [stainless steel option](#).

Install 6mm screw-anchors with your impact driver.  
[Nutsetter available](#).



## Get the Most out of Your Screw Anchors

<https://www.youtube.com/watch?v=M0ofzEdxc44>

### AS 5216:2018

Tested to AS 5216:2018 to comply with NCC. Refer to the Downloads tab for ETA and TDS documents.

**\*Recommended maximum fixture** thickness (shown under the Product List tab) is a general guide to make a robust structural connection for each length. However fixture thickness can be increased in many applications. For NCC engineered capacities please refer to technical documentation.

AFOS® Anchor Design Software  
Download Here Free.  
[allfasteners.com.au/afos](https://www.allfasteners.com.au/afos)

**AFOS: Need assistance when designing with NCC compliant anchors?** Get the latest software developed for engineers – specify the correct anchors to AS 5216. [Click here](#) to find out more.

1800 255 349 | [techadvice@allfasteners.com.au](mailto:techadvice@allfasteners.com.au)



## PRODUCT LIST

SKU	Description	Rec Max Fix*	Socket Size	Bx. Qty.	Crt. Qty.
1SAHG06050	6 x 50mm SAH-G	10 mm	10mm	100	600
1SAHG06075	6 x 75mm SAH-G	20 mm	10mm	100	600
1SAHG08060	8 x 60mm SAH-G	10 mm	13mm	50	300
1SAHG08075	8 x 75mm SAH-G	20 mm	13mm	50	300
1SAHG08100	8 x 100mm SAH-G	35 mm	13mm	50	300
1SAHG10060	10 x 60mm SAH-G	10 mm	17mm	50	300
1SAHG10075	10 x 75mm SAH-G	20 mm	17mm	50	200
1SAHG10085	10 x 85mm SAH-G	30 mm	17mm	50	200
1SAHG10100	10 x 100mm SAH-G	40 mm	17mm	50	200
1SAHG10120	10 x 120mm SAH-G	55 mm	17mm	50	200
1SAHG10150	10 x 150mm SAH-G	80mm	17mm	50	200
1SAHG12075	12 x 75mm SAH-G	10 mm	19mm	50	200
1SAHG12100	12 x 100mm SAH-G	30 mm	19mm	25	200
1SAHG12125	12 x 125mm SAH-G	50 mm	19mm	25	200
1SAHG12150	12 x 150mm SAH-G	65 mm	19mm	25	100
1SAHG16100	16 x 100mm SAH-G	35 mm	24mm	15	60

1800 255 349 | [techadvice@allfasteners.com.au](mailto:techadvice@allfasteners.com.au)

SKU	Description	Rec Max Fix*	Socket Size	Bx. Qty.	Crt. Qty.
1SAHG16150	16 x 150mm SAH-G	55 mm	24mm	15	60



For updates & pricing visit the website.  
[sales@allfasteners.com.au](mailto:sales@allfasteners.com.au)

