

1800 255 349 | techadvice@allfasteners.com.au

WA-S7 Wedge Anchor 316 (A4) Stainless Steel

WA-S7 anchors are made from marine grade 316 (A4) stainless steel – ideal for internal or external use and exposure to industrial or coastal environments. Expansion anchors are easy to install and can fix high load installed under controlled conditions.

- ETA assessed option 7 anchor
- 316 (A4) stainless steel, with 316 (A4) stainless steel expansion clip



CHARACTERISTICS AND BENEFITS

- Easy installation.
- Use in un-cracked concrete.
- Use for medium-heavy duty loads.
- Pre-install in concrete or through fixture.
- Variety of lengths and diameters: flexibility in assembly.
- For static and quasi-static loads.
- Two installation depths in M8, M10 and M12 allowing the use with thick anchor plates.

APPLICATIONS

- Coastal areas.
- Industrial areas.
- Food industries.
- Curtain walls.
- Fixings in tunnels.
- Pipe supports.
- Rehabilitation of facades.
- For outdoor use in general.

Base Material

- Concrete class: C20/25 to C50/60 un-cracked.
- Reinforced concrete
- Stone

1800 255 349 | techadvice@allfasteners.com.au

NCC COMPLIANT AS 5216:2018

The ETA document meets anchor testing and reporting requirements of AS 5216:2018, essential for compliance with the NCC.



AFOS: Need assistance when designing with NCC compliant anchors? Get the latest software developed for engineers – specify the correct anchors to AS 5216. [Click here](#) to find out more.

PRODUCT LIST

SKU	Item	Embed Min.	Fixture Max.	Bx. Qty.	Crt. Qty.
1ETBS08065	M8 x 65mm WA-S7	49.5	8	50	500
1ETBS08090	M8 x 90mm WA-S7	59.5	20	50	500
1ETBS08115	M8 x 115mm WA-S7	59.5	45	25	250
1ETBS10090	M10 x 90mm WA-S7	66.5	10	25	250
1ETBS10120	M10 x 120mm WA-S7	66.5	40	25	250
1ETBS12100	M12 x 100mm WA-S7	77	8	25	150
1ETBS12140	M12 x 140mm WA-S7	77	48	25	150



For updates & pricing visit the website.
sales@allfasteners.com.au

