


Bugle Hd Fine Thread Needle Point Screws



TECHNICAL INFO:


INSTALLATION

- **Drill Capacity:** Suitable for use without pre-drilling in light gauge steel up to 0.6mm, timber and plasterboard. Pre-drilling may be necessary in Hardwood.
- **Driver Type:** Philips P2
- **Installation Speed:** 2300 – 2500 RPM Max Drill Speed

PHYSICAL CHARACTERISTICS

- **Head Type:** Bugle Head
- **Point Type:** Needle
- **Material:** Carbon Steel
- **Finish:** Zinc - Yellow
- **Head Dia:** 6g - 8.2mm, 7g, 8g & 10g - 8.4mm
- **Head Height:** 4.5mm

1800 255 349 | techadvice@allfasteners.com.au



PRODUCT LIST

SKU	Gauge x Length	Driver Bit	Bx. Qty.	Crt. Qty.
3NBFY06020	6-18 x 20mm	Ph2	1000	24000
3NBFY06025	6-18 x 25mm	Ph2	1000	16000
3NBFY06030	6-18 x 30mm	Ph2	1000	16000
3NBFY06035	6-18 x 35mm	Ph2	1000	8000
3NBFY06040	6-18 x 40mm	Ph2	1000	8000
3NBFY07020	7-16 x 20mm	Ph2	1000	16000
3NBFY07025	7-15 x 25mm	Ph2	1000	12000
3NBFY07030	7-15 x 30mm	Ph2	1000	12000
3NBFY07040	7-16 x 40mm	Ph2	1000	8000
3NBFY07045	7-15 x 45mm	Ph2	1000	6000
3NBFY07050	7-15 x 50mm	Ph2	1000	8000
3NBFY08050	8-15 x 50mm	Ph2	1000	6000
3NBFY08065	8-15 x 65mm	Ph2	500	1000
3NBFY08075	8-15 x 75mm	Ph2	500	1000
3NBFY10100	10-15 x 100mm	Ph2	500	-



For updates & pricing visit the website.
sales@allfasteners.com.au

