

1800 255 349 | [techadvice@allfasteners.com.au](mailto:techadvice@allfasteners.com.au)

## L32 High-Strength Contact Adhesive TensorGrip®

Fast tack, low odour high-strength contact adhesive, L32 TensorGrip® is design for multi-purpose laminating. Ideal for ABS edging and with smooth surface materials such as aluminum and melamine.

Delivered through an airless canister system – no compressor required. Fast drying and very low voc's allows L32 is common place in the workshop or factory.

Spray adhesive hand gun & hose set sold separately.



### Key Features

- Non-Flammable adhesive
- Low VOC and low odour
- Excellent high coverage of up to 230m<sup>2</sup> per 22 litre canister
- High Heat Resistance
- No Scuffing Required for Melamine to Melamine
- Web spray
- Full strength achieved in 24 hours, high strength long-term bond
- High tack, fast drying 1-3 mins with excellent initial high-strength bond
- Long open time 60 mins
- Portable airless self sufficient canister spray

### Use With

- Aluminum
- FRL
- FRP/GRP
- Plywood
- Standard Laminate

## **Bonding two sheets of unprepared melamine panels using TensorGrip® L32 Contact Adhesive.**

## More Information

<b>Delivery</b>	SHIPS IN 1 - 2 DAYS. <a href="#">Delivery fees apply, see here.</a>
-----------------	---



## Technical Information

SKU	Item	Vol	Vol	Item
1696.1720001	L32 High-Strength Contact Adhesive	22L	22L Cannister	L32 High-Strength Contact Adhesive

## Documents

L32 TensorGrip Cannister MSDS

L32 TensorGrip TDS



For updates & pricing visit the website.  
sales@allfasteners.com.au

