

1800 255 349 | techadvice@allfasteners.com.au

PU360 Construction Joint PU Sealant & Adhesive

A polyurethane (PU) sealant is a great product for weatherproofing joints between prefabricated concrete panels and articulation joints in brickwork with compressible filler material such as foam strips or backing rod.

PU360[®] construction sealant is available in grey, black and white to easily match the colour of grout between brick work or when used with roofing and guttering.

PU360 has no slump whilst also remaining flexible when cured, making it great for expansion and controls joints between pre-cast concrete blocks.

Adhering to most materials found onsite including painted or galvanized sheet metal, concrete and masonry.

Easy to gun out, foil 600ml sasusages are an economical solution for large areas.



1800 255 349 | techadvice@allfasteners.com.au

More Information

Application	Bonding
For use with	Aluminium, Brick, Ceramic , Concrete, Glass, Plastic, Sheet Metal, Steel, Timber
Characteristics	Expansion Joints, Joint Sealant, No Slump, Non-shrink, Paintable, Remains Flexible
Formulation	Polyurethane, Low Modulus, VOC Free
Colour	Black, Grey, White
Volume	600ml



Technical Information

SKU	Colour	Volume	Type	Joint Width	Joint Depth
1735.0600001	PU360 Black	600ml foil	Low Modulus Polyurethane	15 - 35mm	8 - 15mm
1735.0600002	PU360 Grey	600ml foil	Low Modulus Polyurethane	15 - 35mm	8 - 15mm
1735.0600003	PU360 White	600ml foil	Low Modulus Polyurethane	15 - 35mm	8 - 15mm

Documents

PU360 Construction Joint Sealant TDS

1800 255 349 | techadvice@allfasteners.com.au

PU360 Construction Joint Sealant MSDS



For updates & pricing visit the website.
sales@allfasteners.com.au

