



SAFETY DATA SHEET

TG.L17.22 TensorGrip L17 Canister

SECTION 1: Identification: Product identifier and chemical identity

Product identifier

Product name TG.L17.22 TensorGrip L17 Canister

Details of the supplier of the safety data sheet

Supplier

Quin Global PTY LTD
63 Hincksman Street
Queanbeyan NSW 2620
(02) 6175 0574
info@quin-global.com.au

Emergency telephone number

Emergency telephone +61 2 6175 0574 National Poison Line AU 13 11 26

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Physical hazards Aerosol 1 - H222, H229 Press. Gas, Compressed - H280

Health hazards Carc. 2 - H351

Environmental hazards Not Classified

Label elements

Pictogram



Signal word

Danger

Hazard statements

H229 Pressurised container: may burst if heated
H280 Contains gas under pressure; may explode if heated.
H351 Suspected of causing cancer.

Precautionary statements

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. - No smoking.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308+P313 IF exposed or concerned: Get medical advice/ attention.
P405 Store locked up.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501 Dispose of contents/ container in accordance with national regulations.

Contains

DICHLOROMETHANE

SECTION 3: Composition and information on ingredients

Mixtures

TG.L17.22 TensorGrip L17 Canister

Dichloromethane	30-60%
CAS number: 75-09-2	
Classification	
Skin Irrit. 2 - H315	
Eye Irrit. 2A - H319	
Carc. 2 - H351	
STOT SE 3 - H336	
Petroleum gases, liquefied	30-60%
CAS number: 68476-85-7	
Classification	
Flam. Gas 1 - H220	
Press. Gas, Compressed - H280	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

SECTION 5: Firefighting measures

Advice for firefighters

Hazchem Code 2X

SECTION 6: Accidental release measures

SECTION 7: Handling and storage, including how the chemical may be safely used

SECTION 8: Exposure controls and personal protection

Control parameters

Occupational exposure limits

Dichloromethane

Long-term exposure limit (8-hour TWA): 50 ppm 174 mg/m³

Carc. 2, Sk

Petroleum gases, liquefied

Long-term exposure limit (8-hour TWA): 1000 ppm 1800 mg/m³

Carc. 1B

Carc. 2 = Suspected human carcinogen.

Carc. 1B = Presumed to have carcinogenic potential for humans.

Sk = Absorption through the skin may be a significant source of exposure.

SECTION 9: Physical and chemical properties

SECTION 10: Stability and reactivity

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity - oral

Acute toxicity oral (LD₅₀) 5,350.0
mg/kg)

Species Rat

TG.L17.22 TensorGrip L17 Canister

ATE oral (mg/kg) 5,350.0

SECTION 12: Ecological Information

SECTION 13: Disposal considerations

SECTION 14: Transport information

UN number

UN No. (ADG) 2810

UN No. (IMDG) 2810

UN No. (ICAO) 2810

UN proper shipping name

Proper shipping name (ADG) TOXIC LIQUID, ORGANIC, N.O.S.

Proper shipping name (IMDG) TOXIC LIQUID, ORGANIC, N.O.S.

Proper shipping name (ICAO) TOXIC LIQUID, ORGANIC, N.O.S.

Transport hazard class(es)

ADG class 6.1

ADG classification code T1

ADG label 6.1

IMDG class 6.1

ICAO class/division 6.1

Transport labels



Packing group

ADG packing group III

IMDG packing group III

ICAO packing group III

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

EmS F-A, S-A

Hazchem Code 2X

SECTION 15: Regulatory information

SECTION 16: Any other relevant information

Revision date 29/03/2017

TG.L17.22 TensorGrip L17 Canister

Revision	5
Supersedes date	3/06/2016
SDS No.	21632
Hazard statements in full	H229 Pressurised container: may burst if heated H280 Contains gas under pressure; may explode if heated. H351 Suspected of causing cancer.