

VF22PRO+[®]

CHEMICAL ANCHOR SYSTEM

FAST CURE HIGH-STRENGTH

CERTIFICATION

TDS

MSDS

Material Safety Data: PART A & B



NCC COMPLIANT
AS 5216:2018



For Install Support
techadvice@allfasteners.com.au



For Specification Support
engineering@allfasteners.com.au



For Customer Support
1800 255 349





SAFETY DATA SHEET VF22Pro+ Part A

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, February 2016

SECTION 1: Identification: Product identifier and chemical identity

Product identifier

Product name VF22Pro+ Part A

Relevant identified uses of the substance or mixture and uses advised against

Application Resin.

Details of the supplier of the safety data sheet

Supplier Allfasteners PTY LTD
78 – 84 Logistics Street, Keilor Park, VIC 3042, Australia
Tel 03 9330 0555
Fax 03 9338 6434
support@allfasteners.com.au
www.allfasteners.com.au

Emergency telephone number

Emergency telephone 03 9330 0555 - 7am to 5pm Mon-Fri

National emergency telephone number AUS 13 11 26 / NZ 0800 764 766

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified
Health hazards Skin Sens. 1 - H317
Environmental hazards Aquatic Chronic 3 - H412

Label elements

Hazard pictograms



Signal word WARNING

Hazard statements H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with national regulations.

Contains 2-HYDROXYPROPYL METHACRYLATE

VF22Pro+ Part A

Labelling notes	<p>Not irritating. On basis of test data. OECD Test No. 439 The product is not flammable. On basis of test data. UN Test N.1 and ASTM D4359-90</p>
------------------------	---

SECTION 3: Composition and information on ingredients**Mixtures**

2-HYDROXYPROPYL METHACRYLATE	5-10%
CAS number: 27813-02-1	
Classification Eye Irrit. 2A - H319 Skin Sens. 1 - H317	
VINYL TOLUENE	5-10%
CAS number: 25013-15-4	
Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	
TITANIUM DIOXIDE	>0.5 <1.0%
CAS number: 13463-67-7	
Classification Not Classified	
REACTION MASS OF 2,2'-[(4-METHYLPHENYL) IMINO] BISETHANOL AND ETHANOL 2-[[2-(2-HYDROXYETHOXY)ETHYL](4-METHYLPHENYL)AMINO]-	<0.5%
CAS number: —	
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures**Description of first aid measures**

VF22Pro+ Part A

Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin Contact	Wash skin thoroughly with soap and water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

Most important symptoms and effects, both acute and delayed

Ingestion	May cause discomfort if swallowed.
Skin contact	May cause irritation. May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	May be slightly irritating to eyes.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
-----------------------------	------------------------------

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media	Extinguish with foam, carbon dioxide or dry powder.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	Not considered to be a significant hazard due to the small quantities used.
Hazardous combustion products	Oxides of carbon.

Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

Environmental precautions

Environmental precautions	Avoid release to the environment.
----------------------------------	-----------------------------------

Methods and material for containment and cleaning up

Methods for cleaning up	Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13.
--------------------------------	--

Reference to other sections

Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see Section 13.
------------------------------------	---

SECTION 7: Handling and storage, including how the chemical may be safely used

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from oxidising materials, heat and flames.
----------------------------	--

VF22Pro+ Part A

Storage class Chemical storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

SECTION 8: Exposure controls and personal protection

Control parameters

Occupational exposure limits

VINYL TOLUENE

Long-term exposure limit (8-hour TWA): 50 ppm 242 mg/m³

Short-term exposure limit (15-minute): 100 ppm 483 mg/m³

TITANIUM DIOXIDE

Long-term exposure limit (8-hour TWA): 10 mg/m³

Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection

It is recommended that chemical-resistant, impervious gloves are worn.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

Environmental exposure controls

Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Solid.

Colour

Beige.

Odour

Aromatic.

Odour threshold

Not determined.

pH

Not applicable.

Melting point

Not determined.

Initial boiling point and range

Not determined.

VF22Pro+ Part A

Flash point	Not determined.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Flammability Limit - Lower(%)	Not determined.
Other flammability	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.65 - 1.75 @ 20°C
Bulk density	Not applicable.
Solubility(ies)	Insoluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not applicable.
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not determined.

SECTION 10: Stability and reactivity

Reactivity	The following materials may react with the product: Organic peroxides/hydroperoxides.
Stability	Stable at normal ambient temperatures.
Possibility of hazardous reactions	Does not decompose when used and stored as recommended.
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
Materials to avoid	Organic peroxides/hydroperoxides.
Hazardous decomposition products	Oxides of carbon.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 159.52

Skin corrosion/irritation

Skin corrosion/irritation Not irritating. OECD Test No. 439

Serious eye damage/irritation

VF22Pro+ Part A

Serious eye damage/irritation Not irritating. OECD Test No. 439

Ingestion May cause discomfort if swallowed.

Skin Contact May cause irritation. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact May cause irritation.

Route of exposure Skin and/or eye contact

Toxicological information on ingredients.

2-HYDROXYPROPYL METHACRYLATE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 11,200.0

Species Rat

ATE oral (mg/kg) 11,200.0

VINYL TOLUENE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,255.0

Species Rat

ATE oral (mg/kg) 2,255.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 4,500.0

Species Rat

ATE dermal (mg/kg) 4,500.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 11.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

TITANIUM DIOXIDE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

Carcinogenicity

IARC carcinogenicity IARC Group 2B Possibly carcinogenic to humans.

VF22Pro+ Part A

REACTION MASS OF 2,2'-[[4-METHYLPHENYL] IMINO] BISETHANOL AND ETHANOL 2-[[2-(2-HYDROXYETHOXY)ETHYL](4-METHYLPHENYL)AMINO]-Acute toxicity - oral

ATE oral (mg/kg) 500.0

SECTION 12: Ecological informationEcological information on ingredients.VINYL TOLUENEAcute aquatic toxicity

Acute toxicity - fish LC50, 96 hours: 23.4 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates EC50, 48 hours: 1.3 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC50, 72 hours: 2.6 mg/l, Selenastrum capricornutum

TITANIUM DIOXIDEAcute aquatic toxicityAcute toxicity - fish LC0, >: 1000 mg/l, Leuciscus idus (Golden orfe)
REACH dossier informationAcute toxicity - aquatic invertebrates NOEC, > 48 hours: 3 mg/l, Daphnia magna
REACH dossier informationAcute toxicity - microorganisms EC50, > 3 hours: 1000 mg/l, Activated sludge
REACH dossier informationBioaccumulative potential

Bioaccumulative Potential No data available on bioaccumulation.

Partition coefficient Not determined.

Ecological information on ingredients.2-HYDROXYPROPYL METHACRYLATE

Partition coefficient log Kow: 0.93

VINYL TOLUENE

Partition coefficient log Pow: 3.36

Mobility in soil

Mobility Not applicable.

Other adverse effects

Other adverse effects Not applicable.

SECTION 13: Disposal considerationsWaste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

VF22Pro+ Part A

Disposal methods Dispose of waste via a licensed waste disposal contractor.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG).

UN number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance Workplace Exposure Limits EH40.

SECTION 16: Any other relevant information

General information	The product is not flammable. On basis of test data. UN Test N.1 and ASTM D4359-90 Not irritating. On basis of test data. OECD Test No. 439
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	13/01/2020
Version number	4.000
Supersedes date	18/10/2018
SDS No.	21288

VF22Pro+ Part A

Hazard statements in full

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



SAFETY DATA SHEET VF22Pro+ Part B

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, February 2016

SECTION 1: Identification: Product identifier and chemical identity

Product identifier

Product name VF22Pro+ Part B

Relevant identified uses of the substance or mixture and uses advised against

Application Catalyst.

Details of the supplier of the safety data sheet

Supplier Allfasteners PTY LTD
78 – 84 Logistics Street, Keilor Park, VIC 3042, Australia
Tel 03 9330 0555
Fax 03 9338 6434
support@allfasteners.com.au
www.allfasteners.com.au

Emergency telephone number

Emergency telephone 03 9330 0555 - 7am to 5pm Mon-Fri

National emergency telephone number AUS 13 11 26 / NZ 0800 764 766

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Eye Irrit. 2A - H319 Skin Sens. 1 - H317

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Human health May cause skin disorders if contact is repeated or prolonged. The product is irritating to eyes and skin.

Environmental The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

Physicochemical Not considered to be a significant hazard due to the small quantities used.

Label elements

Hazard pictograms



Signal word

WARNING

VF22Pro+ Part B

Skin Contact Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

Most important symptoms and effects, both acute and delayed

Ingestion May cause discomfort if swallowed.

Skin contact Causes skin irritation.

Eye contact Irritation of eyes and mucous membranes.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

Special hazards arising from the substance or mixture

Specific hazards No specific firefighting precautions applicable when small quantities are involved in the fire.

Hazardous combustion products Oxides of carbon.

Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

Hazchem Code 2Z

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Avoid release to the environment.

Methods and material for containment and cleaning up

Methods for cleaning up Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13.

Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see Section 13.

SECTION 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame.

VF22Pro+ Part B

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from flammable and combustible materials. Store at temperatures between 5°C/41°F and 25°C/77°F.

Storage class Chemical storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

SECTION 8: Exposure controls and personal protection

Control parameters

Occupational exposure limits

BENZOYL PEROXIDE

Long-term exposure limit (8-hour TWA): 5 mg/m³

Sen

Sen = Respiratory and/or skin sensitiser.

Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

The following protection should be worn: Chemical splash goggles.

Hand protection

Wear protective gloves made of the following material: Nitrile rubber.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. Do not smoke in work area.

Respiratory protection

No specific recommendations.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Solid.
Colour	Black.
Odour	Characteristic.
Odour threshold	Not determined.
pH	5 - 6
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	Not applicable.

VF22Pro+ Part B

Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Flammability Limit - Lower(%)	Not determined.
Other flammability	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.5 - 1.6
Bulk density	Not applicable.
Solubility(ies)	Not determined.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	>50°C
Viscosity	> 60 S ISO2431
Explosive properties	No information available.
Oxidising properties	Not determined.

SECTION 10: Stability and reactivity

Reactivity	The following materials may react with the product: Acids. Alkalis. Amines. Strong reducing agents.
Stability	Stable at normal ambient temperatures and when used as recommended. Will decompose at temperatures exceeding 50°C.
Possibility of hazardous reactions	Will not polymerise.
Conditions to avoid	Avoid contact with strong reducing agents. Avoid heat. Avoid contact with acids and alkalis.
Materials to avoid	Strong reducing agents. Acids, non-oxidising. Acids - organic. Alkalis - inorganic. Alkalis - organic. Amines.
Hazardous decomposition products	Oxides of carbon.

SECTION 11: Toxicological information

Information on toxicological effects

Skin sensitisation

Skin sensitisation Sensitising.

Inhalation No specific health hazards known.

Ingestion May cause discomfort if swallowed.

Skin Contact Irritating to skin. May cause sensitisation by skin contact.

VF22Pro+ Part B

Eye contact	Irritation of eyes and mucous membranes.
Route of exposure	Skin and/or eye contact
Medical Symptoms	Skin irritation. Irritation of eyes and mucous membranes.
Medical considerations	No information available.

Toxicological information on ingredients.

BENZOYL PEROXIDE

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

SECTION 12: Ecological information

Ecological information on ingredients.

BENZOYL PEROXIDE

Acute aquatic toxicity

LE(C)₅₀	0.01 < L(E)C ₅₀ ≤ 0.1
M factor (Acute)	10
Acute toxicity - fish	LC ₅₀ , 96 hours: 0.06 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0.11 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 0.07 mg/l, Selenastrum capricornutum

Chronic aquatic toxicity

M factor (Chronic) 10

BENZOIC ACID,NONYL ESTER,BRANCHED AND LINEAR

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 24 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)
	LC ₅₀ , 48 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)
	LC ₅₀ , 72 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)
	EC ₅₀ , 96 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)
	NOEC, 96 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 24 hours: > 2.2 mg/l, Daphnia magna
	EC ₅₀ , 48 hours: > 2.2 mg/l, Daphnia magna
	NOEC, 48 hours: > 2.2 mg/l, Daphnia magna
Acute toxicity - microorganisms	IC ₅₀ , 3 hours: > 1000 mg/l, Activated sludge
	NOEC, 3 hours: > 1000 mg/l, Activated sludge

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bioaccumulative Potential No data available on bioaccumulation.

Partition coefficient Not determined.

VF22Pro+ Part B

Mobility in soil

Mobility Mobile. The product is partly miscible with water and may spread in the aquatic environment.

SECTION 13: Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

Disposal methods Dispose of waste via a licensed waste disposal contractor.

SECTION 14: Transport information

UN number

UN No. (ADG) 3077

UN No. (IMDG) 3077

UN No. (ICAO) 3077

UN proper shipping name

Proper shipping name (ADG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS BENZOYL PEROXIDE, BENZOIC ACID, NONYL ESTER, BRANCHED AND LINEAR)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS BENZOYL PEROXIDE, BENZOIC ACID, NONYL ESTER, BRANCHED AND LINEAR)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS BENZOYL PEROXIDE, BENZOIC ACID, NONYL ESTER, BRANCHED AND LINEAR)

Transport hazard class(es)

ADG class 9

ADG classification code M7

ADG label 9

IMDG class 9

ICAO class/division 9

Transport labels



Packing group

ADG packing group III

IMDG packing group III

ICAO packing group III

Environmental hazards

Environmentally hazardous substance/marine pollutant



Special precautions for user

VF22Pro+ Part B

EmS F-A, S-F
Hazchem Code 2Z

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

SECTION 16: Any other relevant information

General information On basis of test data. Solid - ASTM D4359-90

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 13/01/2020

Version number 3.000

Supersedes date 14/08/2018

SDS No. 21289

Hazard statements in full H241 Heating may cause a fire or explosion.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.