

SAFETY DATA SHEET

Version 1.4 Revision Date: 16.09.2025 SDS Number: 100000012745 Date of last issue: 28.10.2021
Date of first issue: 03.08.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ALL FAST MEGAGRIP
Product code : 100000012745

Manufacturer or supplier's details

Company : Allfasteners Pty. Ltd.

Address : 78-84 Logistics St, Keilor Park, VIC 3175

Telephone : +611800423855

Emergency telephone : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Solvent based adhesive

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Skin corrosion/irritation : Category 2

Skin sensitisation : Category 1

Reproductive toxicity : Category 1A

Specific target organ toxicity - single exposure : Category 3 (Respiratory system, Central nervous system)

Specific target organ toxicity - repeated exposure : Category 2

Aspiration hazard : Category 1

GHS label elements

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 28.10.2021
1.4	16.09.2025	100000012745	Date of first issue: 03.08.2020

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H360 May damage fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements

: **Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

SAFETY DATA SHEET

Version 1.4	Revision Date: 16.09.2025	SDS Number: 100000012745	Date of last issue: 28.10.2021 Date of first issue: 03.08.2020
----------------	------------------------------	-----------------------------	---

P331 Do NOT induce vomiting.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P403 + P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
calcium carbonate	471-34-1	>= 30 -< 60
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 20 -< 30
toluene	108-88-3	>= 10 -< 20
butanone	78-93-3	< 10
Formaldehyde, reaction products with butylphenol	91673-30-2	>= 1 -< 10
ethane-1,2-diol	107-21-1	< 10
Rosin	8050-09-7	< 1

SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.
 If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.
 Get medical attention if irritation develops and persists.

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 28.10.2021
1.4	16.09.2025	100000012745	Date of first issue: 03.08.2020

In case of eye contact	:	Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
If swallowed	:	Do NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards during fire fighting	:	Cool closed containers exposed to fire with water spray.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	•3Y

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent spreading over a wide area (e.g. by containment or oil barriers).
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Non-sparking tools should be used.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation	:	Use only with adequate ventilation.
Advice on protection against fire and explosion	:	Keep away from open flames, hot surfaces and sources of ignition. Mixture may charge electrostatically: always use earthing

SAFETY DATA SHEET

Version 1.4	Revision Date: 16.09.2025	SDS Number: 100000012745	Date of last issue: 28.10.2021 Date of first issue: 03.08.2020
----------------	------------------------------	-----------------------------	---

leads when transferring from one container to another.
 Keep in a bunded area.
 Keep away from sources of ignition - No smoking.
 Take measures to prevent the build up of electrostatic charge.
 Use explosion-proof equipment.
 Use only in area provided with appropriate exhaust ventilation.
 Vapours may form explosive mixtures with air.

Advice on safe handling : Avoid inhalation of vapour or mist.
 Do not use in areas without adequate ventilation.
 Keep away from fire, sparks and heated surfaces.
 Keep container closed when not in use.
 Take precautionary measures against static discharges.

Hygiene measures : Avoid contact with skin, eyes and clothing.
 Provide adequate ventilation.

Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.
 Use explosion-proof equipment.
 Keep containers tightly closed in a dry, cool and well-ventilated place.
 Keep away from sources of ignition - No smoking.
 Solvent vapours are heavier than air and may spread along floors.

Store between 5 and 25 °C in a dry, well ventilated place
 away from sources of heat, ignition and direct sunlight.
 Store in cool place.
 Refer to Australian Standard AS1940: The storage and handling of flammable and combustible liquids (AS1940).

Materials to avoid : Strong oxidizing agents

Further information on storage stability : Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium carbonate	471-34-1	TWA	10 mg/m3	AU OEL
Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica				
		TWA	10 mg/m3	AU OEL

SAFETY DATA SHEET

Version 1.4 Revision Date: 16.09.2025 SDS Number: 100000012745 Date of last issue: 28.10.2021
 Date of first issue: 03.08.2020

			(Calcium carbonate)	
Naphtha (petroleum), hydrotreated light	64742-49-0	TWA	900 mg/m ³	AU OEL
toluene	108-88-3	TWA	50 ppm 191 mg/m ³	AU OEL
Further information: Skin absorption				
		STEL	150 ppm 574 mg/m ³	AU OEL
Further information: Skin absorption				
butanone	78-93-3	STEL	300 ppm 890 mg/m ³	AU OEL
		TWA	150 ppm 445 mg/m ³	AU OEL
ethane-1,2-diol	107-21-1	TWA (particulate)	10 mg/m ³	AU OEL
Further information: Skin absorption				
		TWA (Vapour)	20 ppm 52 mg/m ³	AU OEL
Further information: Skin absorption				
		STEL (Vapour)	40 ppm 104 mg/m ³	AU OEL
Further information: Skin absorption				

Engineering measures : Use local exhaust ventilation or other engineering controls to minimize exposures.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection
 Material : Solvent-resistant gloves

Eye protection : Safety glasses with side-shields

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : yellow

SAFETY DATA SHEET

Version 1.4 Revision Date: 16.09.2025 SDS Number: 100000012745 Date of last issue: 28.10.2021
Date of first issue: 03.08.2020

Odor : solvent-like

Odor Threshold : no data available

pH : Not applicable

Melting point/freezing point : is not determined

Boiling point/boiling range : is not determined

Flash point : 4 °C
Method: ASTM D 93

Evaporation rate : is not determined

Upper explosion limit / Upper flammability limit : Upper flammability limit is not determined

Lower explosion limit / Lower flammability limit : Lower flammability limit is not determined

Vapor pressure : is not determined

Density : 1.150 g/cm³

Solubility(ies)
Water solubility : is not determined

Partition coefficient: n-octanol/water : no data available

Autoignition temperature : is not determined

Viscosity
Viscosity, dynamic : is not determined
Viscosity, kinematic : is not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- : Hazardous polymerisation does not occur.

SAFETY DATA SHEET

Version 1.4 Revision Date: 16.09.2025 SDS Number: 100000012745 Date of last issue: 28.10.2021
Date of first issue: 03.08.2020

tions

Conditions to avoid : Heat, flames and sparks.

Hazardous decomposition products : Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

toluene:

Acute oral toxicity : LD50 Oral (Rat): 5,580 mg/kg

Acute inhalation toxicity : LC50 (Rat): 12.5 mg/l
Exposure time: 4 Hours

ethane-1,2-diol:

Acute oral toxicity : LD50 Oral (Rat): 4,000 mg/kg

Skin corrosion/irritation

Product:

Remarks : no data available

Serious eye damage/eye irritation

Product:

Remarks : no data available

Chronic toxicity

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: no data available

SAFETY DATA SHEET

Version 1.4 Revision Date: 16.09.2025 SDS Number: 100000012745 Date of last issue: 28.10.2021
Date of first issue: 03.08.2020

Carcinogenicity

Product:

Remarks : no data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: no data available

STOT-single exposure

Product:

Remarks : no data available

STOT-repeated exposure

Product:

Remarks : no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Rosin:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.8 - 5.4 mg/l
Exposure time: 48 Hours
Test Type: static test

Persistence and degradability

No data available

Bioaccumulative potential

Components:

toluene:

Partition coefficient: n-octanol/water : log Pow: 2.73

butanone:

Partition coefficient: n-octanol/water : log Pow: 0.29

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 28.10.2021
1.4	16.09.2025	100000012745	Date of first issue: 03.08.2020

Rosin:

Partition coefficient: n-octanol/water : log Pow: > 3 - 6.2
 pH: 6
 GLP: yes

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.
 The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1133
 Proper shipping name : ADHESIVES
 Class : 3
 Packing group : III
 Labels : 3

IATA-DGR

UN/ID No. : UN 1133
 Proper shipping name : Adhesives
 Class : 3
 Packing group : III
 Labels : Flammable Liquids
 Packing instruction (cargo aircraft) : 366
 Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1133
 Proper shipping name : ADHESIVES
 Class : 3

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 28.10.2021
1.4	16.09.2025	100000012745	Date of first issue: 03.08.2020

Packing group : III
 Labels : 3
 EmS Code : F-E, S-D
 Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ADG

UN number : UN 1133
 Proper shipping name : ADHESIVES
 Class : 3
 Packing group : III
 Labels : 3
 Hazchem Code : •3Y

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The ingredients of this product are reported in the following inventories:

AiIC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 28.10.2021
1.4	16.09.2025	100000012745	Date of first issue: 03.08.2020

Revision Date : 16.09.2025

Contact Point : Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

AU OEL / TWA : Exposure standard - time weighted average

AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 28.10.2021
1.4	16.09.2025	10000012745	Date of first issue: 03.08.2020

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN