

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.08.2020

 1.2
 26.04.2021
 100000012745
 Date of first issue: 03.08.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ALL FAST MEGAGRIP

Product code : 100000012745

Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Solvent based adhesive

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Skin corrosion/irritation : Category 2

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - :

single exposure

Category 3 (Respiratory system, Central nervous system)

Specific target organ toxicity - :

repeated exposure

Category 2

Aspiration hazard : Category 1

GHS label elements



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.08.2020

 1.2
 26.04.2021
 100000012745
 Date of first issue: 03.08.2020

Hazard pictograms







Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs through prolonged or re-

peated exposure.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

P281 Use personal protective equipment as required.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P308 + P313 IF exposed or concerned: Get medical advice/



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.08.2020

 1.2
 26.04.2021
 100000012745
 Date of first issue: 03.08.2020

attention.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam for extinction.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
calcium carbonate	471-34-1	>= 30 -< 60
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 20 -< 30
toluene	108-88-3	>= 10 -< 20
butanone	78-93-3	< 10
Formaldehyde, reaction products with bu-	91673-30-2	>= 1 -< 10
tylphenol		
ethane-1,2-diol	107-21-1	< 10
Rosin	8050-09-7	< 1

SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Get medical attention if irritation develops and persists.



Version Revision Date: 1.2 26.04.2021

SDS Number: 100000012745

Date of last issue: 06.08.2020 Date of first issue: 03.08.2020

In case of eye contact

: Flush eyes with water at least 15 minutes. Get medical atten-

tion if eye irritation develops or persists.

If swallowed

Do NOT induce vomiting.

If victim is fully conscious, give a cupful of water.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Specific hazards during fire-

fighting

Cool closed containers exposed to fire with water spray.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code : •3Y

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

Sweep up and shovel into suitable containers for disposal.

Non-sparking tools should be used.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation : Use only with adequate ventilation.

Advice on protection against

fire and explosion

Keep away from open flames, hot surfaces and sources of

ignition.

Mixture may charge electrostatically: always use earthing



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.08.2020

 1.2
 26.04.2021
 100000012745
 Date of first issue: 03.08.2020

leads when transferring from one container to another.

Keep in a bunded area.

Keep away from sources of ignition - No smoking.

Take measures to prevent the build up of electrostatic charge.

Use explosion-proof equipment.

Use only in area provided with appropriate exhaust ventilation.

Vapours may form explosive mixtures with air.

Advice on safe handling : Avoid inhalation of vapour or mist.

Do not use in areas without adequate ventilation. Keep away from fire, sparks and heated surfaces.

Keep container closed when not in use.

Take precautionary measures against static discharges.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Provide adequate ventilation.

Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.

Use explosion-proof equipment.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep away from sources of ignition - No smoking.

Solvent vapours are heavier than air and may spread along

floors.

Materials to avoid : Strong oxidizing agents

Further information on stor-

age stability

Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
		exposure)	concentration	
calcium carbonate	471-34-1	TWA	10 mg/m3	AU OEL
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica			
Naphtha (petroleum), hydrotreated light	64742-49-0	TWA	900 mg/m3	AU OEL
toluene	108-88-3	TWA	50 ppm 191 mg/m3	AU OEL
	Further information: Skin absorption			
		STEL	150 ppm 574 mg/m3	AU OEL



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.08.2020

 1.2
 26.04.2021
 100000012745
 Date of first issue: 03.08.2020

	Further infor	mation: Skin abso	rption		
		TWA	20 ppm	ACGIH	
butanone	78-93-3	STEL	300 ppm 890 mg/m3	AU OEL	
		TWA	150 ppm 445 mg/m3	AU OEL	
		TWA	200 ppm	ACGIH	
		STEL	300 ppm	ACGIH	
ethane-1,2-diol	107-21-1	TWA (partic- ulate)	10 mg/m3	AU OEL	
	Further infor	mation: Skin abso	rption		
		TWA (Va-	20 ppm	AU OEL	
		pour)	52 mg/m3		
	Further infor	Further information: Skin absorption			
		STEL (Va-	40 ppm	AU OEL	
		pour)	104 mg/m3		
	Further infor	Further information: Skin absorption			
		С	100 mg/m3	ACGIH	
		TWA (Va-	25 ppm	ACGIH	
		pour)			
		STEL (Va-	50 ppm	ACGIH	
		pour)			
· · · · · · · · · · · · · · · · · · ·		STEL (Inhal- able fraction, Aerosol only)	10 mg/m3	ACGIH	

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
toluene	108-88-3	Toluene	In blood	Prior to last shift of work-week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI
butanone	78-93-3	methyl ethyl ketone	Urine	End of shift (As soon as possible after exposure	2 mg/l	ACGIH BEI



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.08.2020

 1.2
 26.04.2021
 100000012745
 Date of first issue: 03.08.2020

ceases)

Engineering measures : Use local exhaust ventilation or other engineering controls to

minimize exposures.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection

Material : Solvent-resistant gloves

Eye protection : Safety glasses with side-shields

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : yellow

Odour : solvent-like

Odour Threshold : No data available

Melting point/freezing point : is not determined

Boiling point/boiling range : is not determined

Evaporation rate : is not determined

Upper explosion limit / Upper

flammability limit

Upper flammability limit

is not determined

Lower explosion limit / Lower

flammability limit

Lower flammability limit

is not determined

Vapour pressure : is not determined

Density : 1.150 g/cm3



Version Revision Date: SDS Number: Date of last issue: 06.08.2020 1.2 26.04.2021 100000012745 Date of first issue: 03.08.2020

Solubility(ies)

Water solubility : is not determined

Partition coefficient: n-

octanol/water

No data available

: is not determined Auto-ignition temperature

Viscosity

Viscosity, dynamic is not determined

Viscosity, kinematic is not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.

tions

Possibility of hazardous reac- : Hazardous polymerisation does not occur.

Conditions to avoid Heat, flames and sparks.

Hazardous decomposition

products

Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute toxicity estimate: > 2,000 mg/kg Acute oral toxicity

Method: Calculation method

Components:

toluene:

Acute oral toxicity : LD50 Oral (Rat): 5,580 mg/kg

Acute inhalation toxicity : LC50 (Rat): 12.5 mg/l

Exposure time: 4 h

ethane-1,2-diol:

Acute oral toxicity : LD50 Oral (Rat): 4,000 mg/kg



Version Rev

Revision Date: 26.04.2021

SDS Number: 100000012745

Date of last issue: 06.08.2020 Date of first issue: 03.08.2020

Skin corrosion/irritation

Product:

Remarks : No data available

Serious eye damage/eye irritation

Product:

Remarks : No data available

Chronic toxicity

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

STOT - single exposure

Product:

Remarks : No data available

STOT - repeated exposure

Product:

Remarks : No data available



Version 1.2

Revision Date: 26.04.2021

SDS Number: 100000012745

Date of last issue: 06.08.2020 Date of first issue: 03.08.2020

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

toluene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.8 mg/l

Exposure time: 96 h Test Type: semi-static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 5.46 - 9.83 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): 12.5

mg/l

Exposure time: 72 h Test Type: static test

Rosin:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.8 - 5.4 mg/l

Exposure time: 48 h Test Type: static test

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and

national regulations.

The hazard and precautionary statements displayed on the

label also apply to any residues left in the container.



Version Revision Date: SDS Number: Date of last issue: 06.08.2020 1.2 26.04.2021 100000012745 Date of first issue: 03.08.2020

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1133
Proper shipping name : ADHESIVES

Class : 3
Packing group : III
Labels : 3

IATA-DGR

Not permitted for transport

IMDG-Code

UN number : UN 1133
Proper shipping name : ADHESIVES

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-D

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 1133
Proper shipping name : ADHESIVES

Class : 3
Packing group : III
Labels : 3
Hazchem Code : •3Y

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 6



Version Revision Date: SDS Number: Date of last issue: 06.08.2020 1.2 26.04.2021 100000012745 Date of first issue: 03.08.2020

Scheduling of Medicines and Poisons

Prohibition/Licensing Requirements

There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

DSL : This product contains one or several components that are not

on the Canadian DSL nor NDSL.

REACH : Not in compliance with the inventory

AIIC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 26.04.2021

Contact Point : Prepared by: Global Regulatory Department - phone: 1-651-

236-5842 - email: msds.request@hbfuller.com

Date format : dd.mm.yyyy



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.08.2020

 1.2
 26.04.2021
 100000012745
 Date of first issue: 03.08.2020

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

ACGIH / C : Ceiling limit

AU OEL / TWA : Exposure standard - time weighted average AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.08.2020

 1.2
 26.04.2021
 100000012745
 Date of first issue: 03.08.2020

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN