

## SAFETY DATA SHEET

Version      Revision Date:      SDS Number:      Date of last issue: -  
1.0          31.05.2022          100000013249      Date of first issue: 31.05.2022

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name                      :    FULLATAK SC CLEANER  
Product code                      :    100000013249

#### Manufacturer or supplier's details

Company                            :    H.B. Fuller Company Australia Pty. Ltd.

Address                            :    16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone                         :    +611800423855

Emergency telephone number :    1800 033 111(AU) 0800 734 607(NZ)

#### Recommended use of the chemical and restrictions on use

Recommended use                :    Solvent based adhesive

Restrictions on use              :    For industrial use only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids                :    Category 2

Skin corrosion/irritation       :    Category 2

Germ cell mutagenicity         :    Category 1B

Carcinogenicity                 :    Category 1B

Reproductive toxicity          :    Category 2

Specific target organ toxicity - :    Category 3 (Respiratory system, Central nervous system)  
single exposure

Specific target organ toxicity - :    Category 2  
repeated exposure

Aspiration hazard                :    Category 1

## SAFETY DATA SHEET

Version 1.0      Revision Date: 31.05.2022      SDS Number: 100000013249      Date of last issue: -  
Date of first issue: 31.05.2022

---

### GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H225 Highly flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.  
P281 Use personal protective equipment as required.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.  
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P308 + P313 IF exposed or concerned: Get medical advice/

## SAFETY DATA SHEET

Version 1.0      Revision Date: 31.05.2022      SDS Number: 10000013249      Date of last issue: -  
Date of first issue: 31.05.2022

---

attention.  
P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
toluene	108-88-3	>= 30 -< 60
Solvent naphtha (petroleum), light aliph.	64742-89-8	>= 30 -< 60
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 30 -< 60
n-hexane	110-54-3	>= 10 -< 20

---

## SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.  
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.  
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.

---

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.05.2022	10000013249	Date of first issue: 31.05.2022

---

If swallowed : Do NOT induce vomiting.  
If victim is fully conscious, give a cupful of water.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

Most important symptoms and effects, both acute and delayed : None known.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : •3YE

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent spreading over a wide area (e.g. by containment or oil barriers).

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
Sweep up and shovel into suitable containers for disposal.  
Non-sparking tools should be used.

---

### SECTION 7. HANDLING AND STORAGE

Local/Total ventilation : Use only with adequate ventilation.

Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition.  
Mixture may charge electrostatically: always use earthing leads when transferring from one container to another.  
Keep in a banded area.  
Keep away from sources of ignition - No smoking.  
Take measures to prevent the build up of electrostatic charge.

---

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.05.2022	100000013249	Date of first issue: 31.05.2022

---

- Use explosion-proof equipment.  
Use only in area provided with appropriate exhaust ventilation.  
Vapours may form explosive mixtures with air.
- Advice on safe handling : Avoid inhalation of vapour or mist.  
Do not use in areas without adequate ventilation.  
Keep away from fire, sparks and heated surfaces.  
Keep container closed when not in use.  
Take precautionary measures against static discharges.
- Hygiene measures : Avoid contact with skin, eyes and clothing.  
Provide adequate ventilation.
- Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.  
Use explosion-proof equipment.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep away from sources of ignition - No smoking.  
Solvent vapours are heavier than air and may spread along floors.
- Materials to avoid : Strong oxidizing agents
- Further information on storage stability : Stable under normal conditions.

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
toluene	108-88-3	TWA	50 ppm 191 mg/m <sup>3</sup>	AU OEL
	Further information: Skin absorption			
		STEL	150 ppm 574 mg/m <sup>3</sup>	AU OEL
	Further information: Skin absorption			
		TWA	20 ppm	ACGIH
Solvent naphtha (petroleum), light aliph.	64742-89-8	TWA	900 mg/m <sup>3</sup>	AU OEL
Naphtha (petroleum), hydrotreated light	64742-49-0	TWA	900 mg/m <sup>3</sup>	AU OEL
n-hexane	110-54-3	TWA	20 ppm 72 mg/m <sup>3</sup>	AU OEL
		TWA	50 ppm	ACGIH

## SAFETY DATA SHEET

Version 1.0      Revision Date: 31.05.2022      SDS Number: 10000013249      Date of last issue: -  
 Date of first issue: 31.05.2022

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
toluene	108-88-3	Toluene	In blood	Prior to last shift of work-week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI
n-hexane	110-54-3	2,5-Hexanedi-one	Urine	End of shift	0.5 mg/l	ACGIH BEI

**Engineering measures** : Use local exhaust ventilation or other engineering controls to minimize exposures.

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection  
Material : Solvent-resistant gloves

Eye protection : Safety glasses with side-shields

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : characteristic

Odour Threshold : no data available

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.05.2022	100000013249	Date of first issue: 31.05.2022

---

pH	:	not applicable
Melting point/freezing point	:	is not determined
Boiling point/boiling range	:	is not determined
Flash point	:	-30 °C
Evaporation rate	:	is not determined
Upper explosion limit / Upper flammability limit	:	Upper flammability limit is not determined
Lower explosion limit / Lower flammability limit	:	Lower flammability limit is not determined
Vapour pressure	:	is not determined
Density	:	0.780 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	is not determined
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	is not determined
Viscosity Viscosity, dynamic	:	is not determined
Viscosity, kinematic	:	is not determined

---

### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	Hazardous polymerisation does not occur.
Conditions to avoid	:	Heat, flames and sparks.
Hazardous decomposition products	:	Stable under normal conditions.

## SAFETY DATA SHEET

Version      Revision Date:      SDS Number:      Date of last issue: -  
1.0          31.05.2022          100000013249      Date of first issue: 31.05.2022

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Components:

##### **toluene:**

Acute oral toxicity                   : LD50 Oral (Rat): 5,580 mg/kg

Acute inhalation toxicity           : LC50 (Rat): 12.5 mg/l  
Exposure time: 4 h

##### **Solvent naphtha (petroleum), light aliph.:**

Acute oral toxicity                   : LD50 Oral (Mouse): 5,000 mg/kg

Acute dermal toxicity               : LD50 Dermal (Rabbit): 3,000 mg/kg

##### **n-hexane:**

Acute dermal toxicity               : LD50 Dermal (Rabbit): 3,000 mg/kg

#### Skin corrosion/irritation

##### Product:

Remarks                               : no data available

#### Serious eye damage/eye irritation

##### Product:

Remarks                               : no data available

#### Chronic toxicity

#### Germ cell mutagenicity

##### Product:

Genotoxicity in vitro               : Remarks: no data available

#### Carcinogenicity

##### Product:

Remarks                               : no data available

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.05.2022	10000013249	Date of first issue: 31.05.2022

---

### Reproductive toxicity

**Product:**

Effects on fertility : Remarks: no data available

### STOT - single exposure

**Product:**

Remarks : no data available

### STOT - repeated exposure

**Product:**

Remarks : no data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Components:**

**n-hexane:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.1 - 2.98 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.  
The hazard and precautionary statements displayed on the

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.05.2022	100000013249	Date of first issue: 31.05.2022

---

label also apply to any residues left in the container.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Toluene)
Class	:	3
Packing group	:	II
Labels	:	3

##### IATA-DGR

UN/ID No.	:	UN 1993
Proper shipping name	:	Flammable liquid, n.o.s. (Toluene)
Class	:	3
Packing group	:	II
Labels	:	Flammable Liquids

##### IMDG-Code

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Toluene)
Class	:	3
Packing group	:	II
Labels	:	3
EmS Code	:	F-E, <u>S-E</u>
Marine pollutant	:	no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### ADG

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. ( )
Class	:	3
Packing group	:	II
Labels	:	3
Hazchem Code	:	•3YE

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.05.2022	100000013249	Date of first issue: 31.05.2022

---

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 6  
Scheduling of Medicines and  
Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

#### The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

DSL : All components of this product are on the Canadian DSL

REACH : Not in compliance with the inventory

AIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

---

### SECTION 16. OTHER INFORMATION

#### Further information

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.05.2022	100000013249	Date of first issue: 31.05.2022

---

Revision Date : 31.05.2022

Contact Point : Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average  
AU OEL / TWA : Exposure standard - time weighted average  
AU OEL / STEL : Exposure standard - short term exposure limit

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.05.2022	100000013249	Date of first issue: 31.05.2022

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN