HORSESHOE PACKERS POLYPROPYLENE



Application:


ALLFASTENERS' Horseshoe Packers are made from solid polypropylene. This gives them an extremely high compression strength, making them suitable for both the lightest and most heavy duty applications.


- Colour coded for easy identification of thickness.
- They will never corrode, rust, rot, shrink or expand and are guaranteed to outlast wherever they're installed.
- Our range of Horseshoe Packers will suit 99% of jobs but can be easily cut, drilled and otherwise shaped if necessary.


Ideal for window and door frame leveling, floor joist, wall and ceiling batten and joinery packing. Each packer is manufactured to the highest national standards and comes with a range of benefits.

140mm Allfasteners Horseshoe Packers

140mm Horseshoe Packers simplify wide span top hat leveling by bridging the gap between fasteners, letting you use a single packer instead of two smaller packers. This allows adjustments without the packers shifting or falling out. Suitable for common tophat and purlin structures for cladding and curtain wall construction.








Customer Service 1800 255 349 | techadvice@allfasteners.com.au | www.allfasteners.com.au




75mm Allfasteners Horseshoe Packers






SKU	Thick (mm) x Length	Colour	Width	Box
11HP7501	1.0 x 75mm	White		4000
11HP7503	3.0 x 75mm	Blue		2000
11HP7505	5.0 x 75mm	Yellow		1600
11HP7506	6.5 x 75mm	Green	35mm	1000
11HP7510	10.0 x 75mm	Black		600
11HP7515	15.0 x 75mm	Purple		400
11HP7520	IP7520 20.0 x 75mm			300

140mm Allfasteners Horseshoe Packers






SKU	Thick (mm) x Length	Colour	Width	Box
11HP14001	1.0 x 140mm	White		2500
11HP14002	2.0 x 140mm	Red		1200
11HP14005	5.0 x 140mm Yellow 40mm		600	
11HP14010	10.0 x 140mm	Black	4011111	300
11HP14015	15.0 x 140mm Purple		200	
11HP14020	20.0 x 140mm	Orange		150

TECHNICAL DATA SHEET

HORSESHOE PACKERS POLYPROPYLENE




90mm Square Allfasteners Horseshoe Packers





SKU	Thick (mm) x Length	Colour	Width	Box
11HP9001	1.0 x 90mm	White		1500
11HP9002	2.0 x 90mm	Red		700
11HP9003	3.0 x 90mm	Blue	90mm	500
11HP9005	5.0 x 90mm	Yellow		300
11HP9010	0 10.0 x 90mm			150

90mm Allfasteners Horseshoe Packers





SKU	Thick (mm) x Length	Colour	Width	Box
11HP903501	1.0 x 75mm	White		4000
11HP903502	3.0 x 75mm	RED		2000
11HP903503	5.0 x 75mm	Yellow	35mm	1600
11HP903505	6.5 x 75mm	Green		1000
11HP903510	10.0 x 75mm Black		600	

TECHNICAL DATA

Compressive Strength

ASTM D695-02a : Standard Test Method for Compressive Properties of Rigid Plastics.

Each material sample was subjected to a load capacity of 100kN, the materials change* in form was then measured.

SAMPLE	1.5 mm	3 mm	5 mm	6.5 mm	10 mm
Mean Change	0.09 mm	0.21 mm	0.45 mm	0.38 mm	0.65 mm

*Change in material expressed a mean of samples tested in each group.

UV Stabilisation

Product Code:	AD030615A			
Colour Name:	UV Additive			
Carrier:	PE			
Addition Rate:	1.00%			
Description:	This Masterbatch is based on LLDPE carrier, It contains HALS type UV additive for protection of plastic products and it is suitable			
	for the application of Injection Moulding, Blow Moulding and Extrusion of Polyolefines.			
Packaging:	The Masterbatch is normally supplied in 15kg polyethylene bags.			

Properties	Values
Granules:	2-3 mm (Approx)
UV additives Content:	>20%
Heat Stability:	270°C (additive only)
Light Fastness:	N/A (Blue Wool Scale)
Food Contact:	Yes (AS2070-1999)

Allfasteners® Head Office +61 3 9330 0555 78 - 84 Logistics Street Keilor Park VIC 3042 Australia Allfasteners Pty Ltd. ACN 113 948 100 ABN 86 766 075 300 Whilst every care was taken in preparation of this guide, Allfasteners® accepts no responsibility for the accuracy of the information supplied. Copyright © 2022. The contents of this document remains the property of Allfasteners® and may not be reproduced without prior written permission.